References:

- CutlandN. J. &Grzesiak K. (2006), " Optimal control for 3D stochastic Navier–Stokes equations", International Journal of Computational Fluid Dynamics, Page No. 437-454.

- MAURY B. (1996), "Characteristics ALE Method for the Unsteady 3DNavier-StokesEquations with a Free Surface", International Journal of Computational Fluid Dynamics, Volume 6, Issue 3, Page No. 175-188.

- Bjorland C. , Brandolese L., Iftimie D.&SchonbekM. E. *(* 2010), "L^p-Solutions of the Steady-State Navier–Stokes Equations with Rough External Forces", Communications in Partial Differential EquationsVolume 36, Issue 2, Page No. 216-246.

- Seregin G. &Šverák V. (2008), "On Type I Singularities of the Local Axi-Symmetric Solutions of the Navier–Stokes Equations", Communications in Partial Differential EquationsVolume 34, Issue 2, Page No- 171-201

- Dalal A., Eswaran V.&Biswas G. (2008), "A Finite-Volume Method for Navier-Stokes Equations on Unstructured Meshes", Numerical Heat Transfer, Part B: Fundamentals: An International Journal of Computation and Methodology Volume 54, Issue 3, Page No- 238-259.

- MORANO E. & DERVIEUX A. (2007), "STEADY RELAXATION METHODS FOR UNSTRUCTURED MULTIGRID EULER AND NAVIER-STOKESSOLUTIONS" page No- 137-167

- Speetjens M.F.M. &Clercx H.J.H. (2007), " A spectral solver for the Navier–Stokes equations in the velocity–vorticity formulation", International Journal of Computational Fluid Dynamics Volume 19, Issue 3, Page No- 191-209.

- Y. H. Hwang, (2010), "Development of a Compact and Accurate Discretization for Incompressible Navier-Stokes Equations Based on an Equation-Solving Solution Gradient: Gradient Limiters for High-Reynolds-Number Flows", Numerical Heat Transfer, Part B: Fundamentals: An International Journal of Computation and Methodology, Volume 58, Issue 6, 2010 Page No- 440-460.

- UTNES T. & REN G. (2007), "FINITE ELEMENT MODELLING OF THE INCOMPRESSIBLE NAVIER-STOKES EQUATIONS" ,International Journal of Computational Fluid Dynamics Volume 4, Issue 1-2, Page No- 41-55.

- Das S. P. (1966), "Some Exact Solutions of Navier-Stokes Equations for Steady Flow of A Viscous Liquid with Axial Symmetry", VOL. 32,A, Nos. 5 & 6.

- Brown D. L. (2001), "Accuracy of Projection Methods for the Incompressible Navier-Stokes Equations " The Journal of Computational Physics, ISSN No - 0021-9991.

- Rockner M., Zhang X. (2007), "Tamed 3D Navier-Stokes Equation: Existence Uniqueness and Regularity ", Gorden and Breach Science Publisher, Newyork.

- Elman H. C., Howel V. E., Shadid J. N., &Tuminaro R. S. (2003), "A Parallel Block Multi-level Preconditioner for the 3D incompressible Navier-Stokes Equations ", The Journal of Computational Physics, ISSN No- 0021-9991.

- Gibbon J. D., Fokas A. S., Doering C. R., (1999), " Dynamically stretched vortices as solutions of 3D Navier-Stokes equations " Physica D, Vol. No. – 132, ISSN No- 0167-2789, Page No- 497-510.

- Cutland N.J. and Keisler H.J. (2004), “Global attractors for 3-dimensional stochastic Navier–Stokes equations”, *Journal of Dynamics and Differential Equations,*Page No. 16205–16266.
- Caffarelli L., Kohn R., and Nirenberg L., “Partial regularity of suitable weak solutions of the Navier–Stokes equations”, Comm. Pure & Applied Mathematics Vol. No. 35 (1982), Page No. 771–831.
- Constantin P.(2001), “Some open problems and research directions in the mathematical study of fluid dynamics”, Mathematics Unlimited–2001 and Beyond, Springer Verlag, Berlin, Page No.353–360.
- Ladyzhenskaya O. (1969),” The Mathematical Theory of Viscous Incompressible Flows” (2nd edition), Gordon and Breach, New York.
- Scheffer V. (1976), “Turbulence and Hausdorff dimension, in Turbulence and the Navier–Stokes Equations, Lecture Notes in Math.,Vol. No. 565, Springer Verlag, Berlin, Page No. 94–112.
- Guermond, J.-L. andPrudhomme, S. (2003), Mathematical analysis of a spectral hyperviscosity LES model for the simulation of turbulent flows. Math. Model. Numer. Anal.,Vol. No. (M2AN) 37 no. 6, Page No. 893–908.
- Guermond, J.-L. and Prudhomme, S. (2005), “On the construction of suitable solutions to the Navier- Stokes equations and questions regarding the definition of large eddy simulation”, Phys. D,Vol. No. 207 no. 1-2, Page No. 64–78.
- Guermond, J.-L. (2006), “Finite-element based Fourier-Galerkin weak solutions to the Navier – Stokes equations in the three-dimensional torus are suitable” J. Math. Pure Appl. ,Vol. No. 85 Page No. 451–464.

- Hopf, E. (1951), “Uber die Aufangswertaufgabe f ¨ur die hydrodynamischenGrundgleichungen” Math. Nachr. Volume No. 4, Page No. 213-231.
- Leray, J. (1934), “Sur le mouvement d’un liquidevisqueuxemplissantl’espace”Acta math. Volume No. 63, Page No. 183-248.
- Lions, J.-L.(1969), “Quelques m´ethodes de r´esolution des probl‘emes aux limites non lin´eaires” (French) Dunod; Gauthier-Villars, Paris.
- Scheffer, V. (1976), “Partial regularity of solutions to the Navier-Stokes equations” Pacific J. Math. Volume No. 66 no. 2, Page No. 535–552.
- Scheffer, V. (1977), “Hausdorff measure and the Navier-Stokes equations” Comm. Math. Phys., Volume No. 55no. 2,Page No. 97–112.
- Scheffer, V. (1978), “The Navier-Stokes equations in space dimension four” Comm. Math. Phys. Volume No. 61no. 1, Page No. 41–68.
- Scheffer, V. (1980), “The Navier-Stokes equations on a bounded domain” Comm. Math. Phys., Volume No. 73no. 1, Page No. 1–42.
- Serrin, J. (1963), “The initial value problem for the Navier-Stokes equations” Nonlinear Problems,Univ. of Wisconsin Press, (R. E. Langer editor), Page No 69-98.
- Serrin, J. (1962), “On the interior regularity of weak solutions of the Navier-Stokes equations” Arch.Rational Mech. Anal, Volume No. 9,Page No. 187–195.